

SAFETY DATA SHEET

Shogun Hydro Bloom HW Part A

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Shogun Hydro Bloom HW Part A

Unique formula identifier (UFI)

YC10-E0QU-S00P-NSQY

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

None known.

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

Aqualabs Ltd

Unit 3A

Parkway One

Parkway Drive

S9 4WU Sheffield

United Kingdom

+44 (0) 114 244 3592

Contact person

Simon Spinks

E-mail

simon.spinks@aqualabs-uk.com

Revision

15/10/2024

SDS Version

1.0

1.4. Emergency telephone number

Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information Service (NPIS) (24 hour service)

General public:

England - Dial 111 to reach NHS 111 (24 hour service)

Scotland - Dial 112 to reach NHS 24 (24 hour service)

Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service)

See section 4 "First aid measures".

SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.1. Classification of the substance or mixture

Skin Corr. 1; H314, Causes severe skin burns and eye damage.

Eye Dam. 1; H318, Causes serious eye damage.

2.2. Label elements

Hazard pictogram(s)



Signal word

Danger

Hazard statement(s)

Causes severe skin burns and eye damage. (H314)

Precautionary statement(s)

General

If medical advice is needed, have product container or label at hand. (P101)

Keep out of reach of children. (P102)

Prevention

Do not breathe vapour/mist. (P260)

Wear protective gloves/protective clothing/eye protection/face protection. (P280)

Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. (P303+P361+P353)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

Storage

Store locked up. (P405)

Disposal

Dispose of contents/container in accordance with local regulation (P501)

Hazardous substances

Nitric acid, ammonium calcium salt

nitric acid ...% [C ≤ 70 %]

Additional labelling

UFI: YC10-E0QU-S00P-NSQY

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

| Product/substance | Identifiers | % w/w | Classification | Note |
|------------------------------------|--|-------|--|------|
| Potassium nitrate | CAS No.: 7757-79-1 EC No.: 231-818-8 UK-REACH: 01-2119488224-35 Index No.: | 5-10% | Ox. Sol. 3, H272 | |
| Nitric acid, ammonium calcium salt | CAS No.: 15245-12-2 EC No.: 239-289-5 UK-REACH: 01-2119493947-16 Index No.: | 5-10% | Acute Tox. 4, H302 Eye Dam. 1, H318 | [3] |
| nitric acid ...% [C ≤ 70 %] | CAS No.: 7697-37-2 EC No.: 231-714-2 UK-REACH: 01-2119487297-23 Index No.: 007-030-00-3 | 1-3% | EUH071 Ox. Liq. 2, H272 Ox. Liq. 3, H272 (SCL: 65.00 %) Skin Corr. 1A, H314 (SCL: 20.00 %) Acute Tox. 3, H331 (ATE: 2.65 mg/L) | [1] |
| Ammonium nitrate | CAS No.: 6484-52-2 EC No.: 229-347-8 UK-REACH: Index No.: | 1-3% | Ox. Sol. 3, H272 Eye Irrit. 2, H319 | [3] |

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.

[3] According to UK REACH, Annex XVII, the substance is subject to restrictions.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment.

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact

If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

Ingestion

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit from returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Headache, Methaemoglobinaemia (Ammonium nitrate)

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Nitrogen oxides (NO_x)

Some metal oxides

Ammonia (NH₃)

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.
Hazchem Code: 2X

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.
Ensure adequate ventilation, especially in confined areas.
Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.
See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid direct contact with the product.
Smoking, drinking and consumption of food is not allowed in the work area.
See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Keep only in original packaging.

Storage conditions

Dry, cool and well ventilated

Incompatible materials

Reducing agents
Strong acids
Strong bases
Strong oxidizing agents

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

nitric acid ...% [C ≤ 70 %]
Short term exposure limit (15 minutes) (ppm): 1
Short term exposure limit (15 minutes) (mg/m³): 2,6

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.
EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

Nitric acid, ammonium calcium salt

| Duration: | Route of exposure: | DNEL: |
|-------------------------------|--------------------|-----------------|
| Short term – Systemic effects | Oral | 10 mg/kg bw/day |

PNEC

Ammonium nitrate

| | | |
|------------------------------------|------------------------------|--------------|
| Route of exposure: | Duration of Exposure: | PNEC: |
| Sewage treatment plant | | 18 mg/L |
| Nitric acid, ammonium calcium salt | | |
| Route of exposure: | Duration of Exposure: | PNEC: |
| Sewage treatment plant | | 18 mg/L |
| Potassium nitrate | | |
| Route of exposure: | Duration of Exposure: | PNEC: |
| Sewage treatment plant | | 18 mg/L |

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

See the exposure scenario appended to the safety data sheet. Ensure that the operational conditions and risk management measures in the relevant exposure scenario are complied with.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Ensure that eyewash stations and safety showers are located within easy reach.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally

Wash contaminated clothing before reuse.

Use only UKCA marked protective equipment.

Respiratory Equipment

| Type | Class | Colour | Standards |
|--|-------|--------|-----------|
| Respiratory protection is not needed in the event of adequate ventilation. | | | |

Skin protection

| Recommended | Type/Category | Standards |
|--|---------------|-----------|
| Dedicated work clothing should be worn. Wear a protective suit in the event of prolonged periods of work with the product. | - | - |



Hand protection

| Material | Glove thickness (mm) | Breakthrough time (min.) | Standards |
|----------|----------------------|--------------------------|-----------|
| Gloves | - | - | EN374 |



Eye protection

| Type | Standards |
|----------------|----------------|
| Safety glasses | EN ISO 16321-1 |



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

No relevant or available data due to the nature of the product.

Odour / Odour threshold

No relevant or available data due to the nature of the product.

pH

0.1

Density (g/cm³)

1.1

Kinematic viscosity

No relevant or available data due to the nature of the product.

Particle characteristics

Does not apply to liquids.

Phase changes

Melting point/Freezing point (°C)

No relevant or available data due to the nature of the product.

Softening point/range (°C)

Does not apply to liquids.

Boiling point (°C)

No relevant or available data due to the nature of the product.

Vapour pressure

No relevant or available data due to the nature of the product.

Relative vapour density

No relevant or available data due to the nature of the product.

Decomposition temperature (°C)

No relevant or available data due to the nature of the product.

Data on fire and explosion hazards

Flash point (°C)

No relevant or available data due to the nature of the product.

Flammability (°C)

No relevant or available data due to the nature of the product.

Auto-ignition temperature (°C)

No relevant or available data due to the nature of the product.

Lower and upper explosion limit (% v/v)

No relevant or available data due to the nature of the product.

Solubility

Solubility in water

No relevant or available data due to the nature of the product.

n-octanol/water coefficient (LogKow)

No relevant or available data due to the nature of the product.

Solubility in fat (g/L)

No relevant or available data due to the nature of the product.

9.2. Other information

Oxidizing properties

No relevant or available data due to the nature of the product.

Other physical and chemical parameters

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Extremes of temperature

10.5. Incompatible materials

Reducing agents

Strong acids

Strong bases

Strong oxidizing agents

10.6. Hazardous decomposition products

Thermal decomposition may produce corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

Acute toxicity

| | |
|--------------------|-------------------|
| Product/substance | Potassium nitrate |
| Species: | Rat |
| Route of exposure: | Oral |
| Test: | LD50 |
| Result: | 2000 mg/kg |

| | |
|--------------------|-------------------|
| Product/substance | Potassium nitrate |
| Species: | Rat |
| Route of exposure: | Dermal |
| Test: | LD50 |
| Result: | > 5,000 mg/kg |

| | |
|--------------------|------------------------------------|
| Product/substance | Nitric acid, ammonium calcium salt |
| Test method: | OECD 423 |
| Species: | Rat |
| Route of exposure: | Oral |
| Test: | LC50 |
| Result: | 500 mg/kg |

| | |
|--------------------|------------------------------------|
| Product/substance | Nitric acid, ammonium calcium salt |
| Test method: | OECD 402 |
| Species: | Rat |
| Route of exposure: | Dermal |
| Test: | LC50 |
| Result: | 2000 mg/kg |

| | |
|--------------------|-----------------------------|
| Product/substance | nitric acid ...% [C ≤ 70 %] |
| Species: | Rat |
| Route of exposure: | Inhalation |
| Test: | NOAEC |
| Result: | 4.11 mg/m ³ |

| | |
|--------------------|------------------|
| Product/substance | Ammonium nitrate |
| Test method: | OECD 401 |
| Species: | Rat |
| Route of exposure: | Oral |
| Test: | LC50 |
| Result: | 2950 mg/kg |

| | |
|--------------------|------------------|
| Product/substance | Ammonium nitrate |
| Test method: | OECD 402 |
| Species: | Rat |
| Route of exposure: | Dermal |
| Test: | LD50 |
| Result: | >5,000 mg/kg |

Skin corrosion/irritation

| | |
|-------------------|---|
| Product/substance | Potassium nitrate |
| Test method: | OECD 404 |
| Species: | Rabbit |
| Result: | No adverse effect observed (Not irritating) |

Causes severe skin burns and eye damage.

Serious eye damage/irritation

| | |
|-------------------|------------------------------------|
| Product/substance | Nitric acid, ammonium calcium salt |
| Test method: | OECD 405 |
| Species: | Rabbit |
| Description: | Causes serious eye damage. |
| Duration: | 72 hours |

| | |
|-------------------|------------------|
| Product/substance | Ammonium nitrate |
| Test method: | OECD 405 |
| Species: | Rabbit |
| Description: | Irritant |

Causes serious eye damage.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

| | |
|-------------------|--|
| Product/substance | Ammonium nitrate |
| Test method: | OECD 429 |
| Species: | Mouse |
| Description: | Not sensitising. |
| Result: | No adverse effect observed (not sensitising) |

Germ cell mutagenicity

| | |
|-------------------|----------------------------|
| Product/substance | Ammonium nitrate |
| Test method: | OECD 473 |
| Conclusion: | No adverse effect observed |

| | |
|-------------------|----------------------------|
| Product/substance | Ammonium nitrate |
| Test method: | OECD 474 |
| Conclusion: | No adverse effect observed |

| | |
|-------------------|----------------------------|
| Product/substance | Ammonium nitrate |
| Test method: | OECD 475 |
| Conclusion: | No adverse effect observed |

| | |
|-------------------|----------------------------|
| Product/substance | Ammonium nitrate |
| Test method: | OECD 471 |
| Conclusion: | No adverse effect observed |

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

| | |
|-------------------|-----------------------------|
| Product/substance | nitric acid ...% [C ≤ 70 %] |
| Test method: | OECD 422 |
| Species: | Rat |
| Duration: | 28 days |
| Test: | NOAEL |
| Result: | > 1,500 mg/kg |

| | |
|-------------------|------------------|
| Product/substance | Ammonium nitrate |
| Test method: | OECD 422 |

| | |
|-------------|----------------------------|
| Species: | Rat |
| Duration: | 28 days |
| Test: | NOAEL |
| Result: | >1500 mg/kg bw/day |
| Conclusion: | No adverse effect observed |

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

None known.

SECTION 12: Ecological information

12.1. Toxicity

| | |
|-------------------|-------------------|
| Product/substance | Potassium nitrate |
| Test method: | OECD 203 |
| Species: | Fish |
| Compartment: | Freshwater |
| Duration: | 96 hours |
| Test: | LC50 |
| Result: | > 100 mg/L |

| | |
|-------------------|-------------------|
| Product/substance | Potassium nitrate |
| Species: | Daphnia |
| Compartment: | Freshwater |
| Duration: | 48 hours |
| Test: | EC50 |
| Result: | 490 mg/L |

| | |
|-------------------|-------------------|
| Product/substance | Potassium nitrate |
| Species: | Algae |
| Compartment: | Marine water |
| Duration: | 10 days |
| Result: | > 1.700 mg/L |

| | |
|-------------------|------------------------------------|
| Product/substance | Nitric acid, ammonium calcium salt |
| Species: | Fish |
| Compartment: | Freshwater |
| Duration: | 48 hours |
| Test: | LC50 |
| Result: | 447 mg/L |

| | |
|-------------------|------------------------------------|
| Product/substance | Nitric acid, ammonium calcium salt |
| Test method: | OECD 202 |
| Species: | Daphnia |
| Compartment: | Freshwater |
| Duration: | 48 hours |
| Test: | EC50 |
| Result: | >100 mg/L |

| | |
|-------------------|------------------------------------|
| Product/substance | Nitric acid, ammonium calcium salt |
|-------------------|------------------------------------|

| | |
|--------------|------------|
| Test method: | OECD 201 |
| Species: | Algae |
| Compartment: | Freshwater |
| Duration: | 72 hours |
| Test: | LC50 |
| Result: | >100 mg/L |

| | |
|-------------------|------------------------------------|
| Product/substance | Nitric acid, ammonium calcium salt |
| Test method: | OECD 209 |
| Compartment: | Activated Sludge Plant |
| Duration: | 3 hours |
| Test: | EC50 |
| Result: | >1,000 mg/L |

| | |
|-------------------|------------------|
| Product/substance | Ammonium nitrate |
| Species: | Fish |
| Compartment: | Freshwater |
| Duration: | 48 hours |
| Test: | LC50 |
| Result: | 447 mg/L |

| | |
|-------------------|------------------|
| Product/substance | Ammonium nitrate |
| Species: | Daphnia |
| Compartment: | Freshwater |
| Duration: | 48 hours |
| Test: | EC50 |
| Result: | 490 mg/L |

| | |
|-------------------|------------------|
| Product/substance | Ammonium nitrate |
| Species: | Algae |
| Compartment: | Marine water |
| Duration: | 10 days |
| Test: | EC50 |

12.2. Persistence and degradability

| | |
|-------------------|-----------------------|
| Product/substance | Potassium nitrate |
| Conclusion: | Readily biodegradable |

| | |
|-------------------|------------------------------------|
| Product/substance | Nitric acid, ammonium calcium salt |
| Conclusion: | Readily biodegradable |

| | |
|-------------------|-----------------------|
| Product/substance | Ammonium nitrate |
| Conclusion: | Readily biodegradable |

12.3. Bioaccumulative potential

| | |
|-------------------|------------------------------------|
| Product/substance | Nitric acid, ammonium calcium salt |
| Conclusion: | Bioaccumulation is not expected |

| | |
|-------------------|----------------------------------|
| Product/substance | nitric acid ...% [C ≤ 70 %] |
| Conclusion: | No potential for bioaccumulation |

| | |
|-------------------|----------------------------------|
| Product/substance | Ammonium nitrate |
| Conclusion: | No potential for bioaccumulation |

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties

| | |
|-------------------|------------------------------------|
| Product/substance | Nitric acid, ammonium calcium salt |
| Conclusion: | No adverse effect observed |

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 8 – Corrosive

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code




Not applicable.

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

| | 14.1 UN / ID | 14.2 UN proper shipping name | 14.3 Hazard class(es) | 14.4 PG* | 14.5 Env** | Other information: |
|------|-----------------|--|---|-------------|---------------|--|
| ADR | UN3264 | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid ...% [C ≤ 70 %]) | Transport hazard class: 8 Label: 8 Classification code: C1  | III | No | Limited quantities: 5 L Tunnel restriction code: (E) See below for additional information . |
| IMDG | UN3264 | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid ...% [C ≤ 70 %]) | Transport hazard class: 8 Label: 8 Classification code: C1  | III | No | Limited quantities: 5 L EmS: F-A S-B See below for additional information . |
| IATA | UN3264 | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid ...% [C ≤ 70 %]) | Transport hazard class: 8 Label: 8 Classification code: C1  | III | No | See below for additional information . |

* Packing group

** Environmental hazards

Additional information

This product is within scope of the regulations of transport of dangerous goods.

ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with

transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

Hazchem Code: 2X

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

People under the age of 18 shall not be exposed to this product.

Demands for specific education

No specific requirements.

Control of Major Accident Hazards (COMAH) - Categories / dangerous substances

Potassium nitrate

Ammonium nitrate

Regulation on explosives precursors

Potassium nitrate (Annex II)

Nitric acid, ammonium calcium salt (Annex II)

nitric acid ...% [C ≤ 70 %] (Annex I)

Ammonium nitrate (Annex I)

UK-REACH, Annex XVII

Nitric acid, ammonium calcium salt is subject to restrictions, UK-REACH annex XVII (entry 65).

Ammonium nitrate is subject to restrictions, UK-REACH annex XVII (entry 58).

Additional information

Tactile warning.

If this product is sold in retail, it must be delivered with child-resistant fastening.

Sources

The Management of Health and Safety at Work Regulations 1999.

Control of Major Accident Hazards (COMAH) Regulations 2015.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Council Regulation (EC) No 2019/1148 on explosives precursors as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H314, Corrosive to the respiratory tract.

H272, May intensify fire; oxidiser.

H302, Harmful if swallowed.

H314, Causes severe skin burns and eye damage.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H331, Toxic if inhaled.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment
CSR = Chemical Safety Report
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EINECS = European Inventory of Existing Commercial chemical Substances
ES = Exposure Scenario
EUH statement = CLP-specific Hazard statement
EuPCS = European Product Categorisation System
EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
GWP = Global warming potential
IARC = International Agency for Research on Cancer (IARC)
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SCL = A specific concentration limit
SVHC = Substances of Very High Concern
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The classification of the substance/mixture in regard of skin corrosion and serious eye damage is based on the pH-criterion given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The safety data sheet is validated by

NHP

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en

Section 1 – Title

Short title of the exposure Scenario Yara - Nitric acid, ammonium calcium salt - Consumer

Identified use name: Consumer USE in cosmetic products.
Consumer USE as part of specialist products.
Consumer USE of fertilisers.
Consumer USE in construction materials.

Substance supplied to that use in form of: In a mixture

List of use descriptors

Environmental Release Category: ERC08a, ERC08b, ERC08c, ERC08d, ERC08e, ERC08f

Market sector by type of chemical product: PC04, PC09a, PC12, PC37, PC39, PC 0: Other: UCN P15100, H15100, PC 0: Other: UCN K35000

Subsequent service life relevant for that use: No.

Section 2 – Exposure controls

Contributing scenario controlling environmental exposure for: All

This product is not classified according to EU legislation., As no environmental hazard was identified, no environmental-related exposure assessment and risk characterization was performed.

Contributing scenario controlling consumer exposure for:

Product characteristics: Inorganic salt.

Concentration of substance in mixture or article: <= 100.000 %

Physical state: Solid, Liquid

Dust: Solid, low dustiness

Frequency and duration of use: Use duration (h/d): <= 8

Other given operational conditions affecting consumers exposure: Hand held spraying, Ensure spraying away from persons.

Area of use: Indoor or outdoor use
Room volume
Ventilation size: Rate per hour

Conditions and measures related to personal protection and hygiene

Advice on general occupational hygiene: Avoid direct eye contact with product, also via contamination on hands.

Personal protection: Do not eat, drink or smoke when using this product., Wash hands thoroughly after handling., Avoid contact with eyes, Recommended, Wear protective gloves and eye protection., Wear safety glasses with side protection in accordance with EN166.

Section 3 – Exposure estimation and reference to its source

Exposure estimation and reference to its source - Consumer:

Exposure assessment (human): Qualitative approach used to conclude safe use.

Exposure estimation and reference to its source: Inhalation exposure is considered to be not relevant.
Oral exposure is not expected to occur.

Section 4 – Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment: Not applicable

Health: Comply with the safety instructions, Risk management
Measures are based on qualitative risk characterisation.

Abbreviations and acronyms

Environmental Release Category:

- ERC08a - Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
- ERC08b - Widespread use of reactive processing aid (no inclusion into or onto article, indoor)
- ERC08c - Widespread use leading to inclusion into/onto article (indoor)
- ERC08d - Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)
- ERC08e - Widespread use of reactive processing aid (no inclusion into or onto article, outdoor)
- ERC08f - Widespread use leading to inclusion into/onto article (outdoor)

Market sector by type of chemical product:

- PC04 - Anti-freeze and de-icing products
- PC09a - Coatings and paints, thinners, paint removers
- PC12 - Fertilizers
- PC37 - Water treatment chemicals
- PC39 - Cosmetics, personal care products
- PC 0: Other: UCN P15100 - Accelerators
- H15100 - Curing Agents - Concrete hardeners
- PC 0: Other: UCN K35000 - Construction materials (building materials)